

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PUBLIC SERVICES – Water Resources Department – ACB (Trap) Case - Sri Pallam Bhujanga Rao, Senior Assistant, O/o the Executive Engineer, Irrigation Circle, Guntur – Trapped by ACB authorities, when demanded bribe amount of Rs. 30,000/- - Departmental proceedings under Rule 20 of the A.P.Civil Services (CC&A) Rules, 1991– Articles of Charges – Issued.

WATER RESOURCES (VIGILANCE-III/A1) DEPARTMENT

G.O.RT.No.337

Dated: 24.07.2023

ORDER:

It is proposed to hold an inquiry against Sri Pallam Bhujanga Rao, Senior Assistant, O/o the Executive Engineer, Irrigation Circle, Guntur, Guntur Dist. in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set-out in the enclosed statement of articles of charges (Annexure-I), Statement of imputation of misconduct or misbehavior on which action is proposed to be taken against him (Annexure-II), a list of documents by which and a list of witnesses by whom the Article of Charge is proposed to be sustained (Annexure-III and IV) are enclosed.

3. Sri Pallam Bhujanga Rao, Senior Assistant, O/o the Executive Engineer, Irrigation Circle, Guntur, Guntur Dist. is directed to submit a written statement of his defense (WSD) within 10 days of the receipt of this order.

4. Sri Pallam Bhujanga Rao, Senior Assistant, O/o the Executive Engineer, Irrigation Circle, Guntur, Guntur Dist. is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri Pallam Bhujanga Rao, Senior Assistant, O/o the Executive Engineer, Irrigation Circle, Guntur, Guntur Dist. is further informed that if he does not submit his written statement of defense (WSD) on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Attention of Sri Pallam Bhujanga Rao, Senior Assistant, O/o the Executive Engineer, Irrigation Circle, Guntur, Guntur Dist. is invited to Rule 24 of the A.P.Civil Services (conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri Pallam Bhujanga Rao, Senior Assistant, O/o the Executive Engineer, Irrigation Circle, Guntur, Guntur Dist., is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P.Civil Service (Conduct) Rules, 1964.

(P.T.O.)

::2::

7. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada is requested to communicate the date of acknowledgement of Accused Officer immediately.

8. The receipt of this G.O. shall be acknowledged.

Shashi Bhushan Kumar I A S
Principal Secretary To Government

To

Sri Pallam Bhujanga Rao, Senior Assistant, O/o the Executive Engineer, Irrigation Circle, Guntur through the Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

The Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

Copy to:

The Director General, Anti-Corruption Bureau, A.P, Headquarters Office, 2nd Floor, N.T.R. Admin, Block, Pandit Nehru Bus Station, Vijayawada.

The Secretary to Vigilance Commission, APVC, A.P., Secretariat, Amaravati.

SF/SCs

// FORWARDED::BY ORDER//

SECTION OFFICER